

**NC Department of Insurance  
Office of the State Fire Marshal - Engineering Division  
1202 Mail Service Center, Raleigh, NC 27699-1202  
919-647-0000**

**Maximum Occupant Load for a Day Care Facility**

**Code:** 2018 Building Code  
**Section:** 305.2, 308.6 and 310.6

**Date:** September 5, 2018

**Question:**

What is the maximum occupant load for a Day Care Facility?

**Answer:**

The maximum occupant load for a Day Care Facility is based on the age of the clients and the occupancy type of the facility.

- Residential Group R-3:
  - Adult Care facilities – five or fewer persons of any age, excluding staff
  - Child Care facilities – eight or fewer persons with no more than five that are of preschool age, excluding staff. (Section 310.1)
- Residential Group R-4 (Any age):
  - More than five but not more than 16 occupants, excluding staff. (Section 310.1)
- Education Group E:
  - 6 to 100 children preschool aged 2<sup>1/2</sup> years or less (Section 310.1)
  - More than 5 children 2<sup>1/2</sup> years through 12<sup>th</sup> Grade (Section 305.2)
- Institutional Group I-4:
  - Adult Care facilities – six or more (Section 308.5.1).
  - Child Care facilities – six or more (Section 308.5.2).

**Keywords:**

Day Care, Occupant Load, Age