

**NC Department of Insurance
Office of the State Fire Marshal - Engineering Division
1202 Mail Service Center, Raleigh, NC 27699-1202
919-647-0000**

Wall Space v. Wall Countertop Spaces

Code: 2014 Electrical Code
Section: 210.52(A)

Date: November 20, 2017

Question 1:

A kitchen countertop that is attached to a wall has receptacles mounted above the countertop that comply with section 210.52(C). Are additional receptacles required to be added below the countertop to serve the wall space described in section 210.52(A)?

Answer 1:

No. Section 210.52(A)(2) describes the “wall space” within a dwelling including in the kitchens, pantries, breakfast rooms, dining rooms, and similar areas. Section 210.52(C)(1) describes the dwelling’s “wall countertop space” in the kitchens, pantries, breakfast rooms, dining rooms, and similar areas.

In areas designated for food preparation, the “wall space” described in section 210.52(A)(2) and the “wall countertop space” described in section 210.52(C)(1) each possess electrical needs that are distinguishable from each other due to the type of appliances that typically utilize such receptacles.

Thus, the receptacles in the areas along the walls of a kitchen are either regulated by section 210.52(A) or by section 210.52(C) depending on whether a wall countertop exists in such area. In no case will the sections 210.52(A) and 210.52(C) both regulate the same wall area of the kitchen.

Question 2:

A kitchen countertop that is attached to a wall has receptacles mounted above the countertop that comply with section 210.52(C). There is at least 2 feet of wall space (area without a kitchen countertop) regulated by section 210.52(A) beside the countertop. Can any of the countertop receptacles be used to satisfy the wall space receptacle requirements of 210.52(A) if the countertop receptacles are not located more than 5 ½ feet above the floor?

Answer 2:

No. Section 210.52(A)(4) prohibits the use of the receptacles installed for wall countertop space in the kitchens, pantries, breakfast rooms, dining rooms, and similar areas from simultaneously satisfying the wall space receptacle requirements of 210.52(A).

Question 3(a):

A living room countertop that is attached to a wall has receptacles mounted above the countertop that are 4 feet above the finished floor. Does section 210.52(A)(4) require additional receptacles to be added below the countertop to serve the wall space described in section 210.52(A)?

Question 3(b):

A living room countertop that is attached to a wall has receptacles mounted below the countertop that are 1 foot above the finished floor. Does section 210.52(A)(4) require additional receptacles to be added above the countertop to serve the wall space described in section 210.52(A)?

Answer 3(a&b):

No. Section 210.52(A)(4) only prohibits the receptacles specified in section 210.52(C) from simultaneously satisfying the wall space receptacle requirements of 210.52(A). Receptacles serving the living room countertop are not specified by section 210.52(C). Section 210.52(C) only concerns countertop space in the kitchens, pantries, breakfast rooms, dining rooms, and similar areas.


Question 1 Illustration

Not to Scale

Wall Receptacles not to exceed 5 ½ feet in height from floor
 Countertop receptacles not to exceed 20 inches in height from countertop

KITCHEN & SIMILAR AREA

Electrical Code sections shown below regulate the corresponding areas of the kitchen walls




Question 2 Illustration

Not to Scale

Wall Receptacles not to exceed 5 ½ feet in height from floor
 Countertop receptacles not to exceed 20 inches in height from countertop


KITCHEN & SIMILAR AREA



Question 3(a) Illustration

Not to Scale

Wall Receptacles not to exceed 5 ½ feet in height from floor
Countertop receptacles not to exceed 20 inches in height from countertop



Question 3(b) Illustration

Not to Scale

Wall Receptacles not to exceed 5 ½ feet in height from floor
Countertop receptacles not to exceed 20 inches in height from countertop

