



North Carolina Building Code Council

Staffed by the NC Department of Insurance

Brian Taylor, State Fire Marshal
David Bruce Rittlinger, PE, Secretary

(919) 647-0001
(919) 662-4414 Fax

1202 Mail Service Center
Raleigh, NC 27699-1202

1429 Rock Quarry Road, Suite 105
Raleigh, NC 27610

Building Code Council

Chair:

Bridget Herring - 29
(Public Representative)

Vice Chairman:

Mark Matheny - 27
(Building Inspector)

Members:

Michael Ali, PE - 29
(State Agency)

Robert Axford - 25
(Electrical Contractor)

Chris Berg, PE - 27
(Structural Engineer)

Andrew C. Cole, AIA - 28
(Architect)

Ralph Euchner - 25
(Gas Industry)

David Gieser, RA - 28
(Architect)

Jeff Hilton - 28
(Coastal Contractor)

Robert Howard - 29
(Home Builder)

Natalie MacDonald, PE - 27
(Mechanical Engineer)

Gloria Shealey - 27
(General Contractor)

Deborah Shearin - 25
(Plumbing & Heating Contractor)

Jason B. Shepherd - 27
(Fire Services)

Kim Wooten, PE - 25
(Electrical Engineer)

Robert Zapple - 28
(County Gov't Rep)

Minutes of the North Carolina Building Code Council Public Hearing June 11, 2024 Raleigh, NC

The following are summary minutes. The official minutes of this meeting are recorded. Anyone desiring digital copies of this recording should contact the Engineering Division of the NC Department of Insurance for information and reproduction costs or access the following OSFM website:

<https://www.ncosfm.gov/codes/building-code-council-bcc/bcc-meeting-recordings>. The next scheduled NC Building Code Council meeting will be held **Tuesday, September 10, 2024** at 325 Salisbury Street, Raleigh, NC in Room 245.

Facebook Live was provided for the purpose of allowing the public to view and hear the meeting in process.

Meeting called to order.

A roll call of Council members was completed. All members of the North Carolina Building Code Council were present for the Council meeting except Robert Axford and Deborah Shearin. The following members attended virtually: Ralph Euchner, Gloria Shealey, Jason Shepherd, and Kim Wooten.

Consistent with Rules 4:56 and 44:12 of Robert's Rules of Order (12th ed.), the presiding officer, Chair Bridget Herring, elected to protect her impartial position by exercising her right to vote only when her vote would affect the outcome by causing or breaking a tie.

Part A – Administrative Items

Chair Bridget Herring requested the following changes to the agenda:

- ❖ **Items B-7 and B-8 were withdrawn by the proponent and should be removed from the agenda.**
- ❖ **The Council took final action on the following items at the March 19, 2024 meeting and should be removed from the agenda: D-1, D-2, D-3, D-4, D-5, D-6, D-7, D-8, D-9, D-10, D-11, D-12, D-13, D-17, D-18, D-19, and D-22.**
- ❖ **The Council took final action on the following items at the December 19, 2023 meeting and should be removed from the agenda: Items D-14, D-20, and D-21.**

A motion to amend the agenda by removing the following items was made by R. Zapple.
Second made by M. Matheny.
Motion unanimously approved.

Item A – 1 Ethics Statement: Inquire upon conflicts of interest or appearance of conflicts that exist within the Council.

There were no actual or potential conflicts of interest noted.

Item A – 2 Approval of minutes of the March 18, 2024 and March 19, 2024 NC Building Code Council Public Hearing and Meetings.

**Motion to approve the minutes as they were written for the March 18, 2024 and March 19, 2024 NC Building Code Council Public Hearing and Meetings made by A. Cole. Second made by R. Zapple.
Motion unanimously granted.**

Item A – 3 Request from the Town of Mooresville for approval to perform local plan reviews in accordance with 2018 NCACP 104.1.2.

David Rittlinger of NCOSFM staff addressed the Council explaining that the Town of Mooresville has the five Level 3 certifications that are required per 2018 NC Administrative Code, Section 104.1.2. Staff recommends approval of this item.

The Administration Standing Committee reviewed this item at the Standing Committee meeting on Monday, June 10, 2024 and recommends approval.

**Motion to approve this item made by A. Cole. Second made by D. Gieser.
Motion unanimously granted.**

Item A – 4 Request from the Town of Black Mountain for approval to perform local plan reviews in accordance with 2018 NCACP 104.1.2.

David Rittlinger of NCOSFM staff addressed the Council explaining that the Town of Black Mountain has the five Level 3 certifications that are required per 2018 NC Administrative Code, Section 104.1.2. Staff recommends approval of this item.

The Administration Standing Committee reviewed this item at the Standing Committee meeting on Monday, June 10, 2024 and recommends approval.

**Motion to approve this item made by A. Cole. Second made by R. Zapple.
Motion unanimously granted.**

Item A – 5 Request from Lenoir County for approval to perform local plan reviews in accordance with 2018 NCACP 104.1.2.

David Rittlinger of NCOSFM staff addressed the Council explaining that Lenoir County has the five Level 3 certifications that are required per 2018 NC Administrative Code, Section 104.1.2. Staff recommends approval.

The Administration Standing Committee reviewed this item at the Standing Committee meeting on June 10, 202, and recommends approval.

**Motion to approve this item made by A. Cole. Second made by R. Zapple.
Motion unanimously granted.**

Item A – 6 Rules Review Commission Meeting Report

David Rittlinger with NCOSFM staff addressed the Council explaining the Rules Review Commission (RRC) is scheduled to meet again on June 26, 2024. NCOSFM staff is in the process of responding to comments from the RRC staff attorney on the 2024 NC Building Code and the 2024 NC Existing Building Code. Staff is waiting to receive the RRC staff attorney comments on the 2024 NC Fire Code. All other versions of the NC Building Codes have been approved. Of note, 2024 NC Energy Code was approved by the RRC, but then more than ten letters of objection were received from the public at the April 30, 2024 RRC meeting, which by law triggered a legislative review at the next possible legislative session in 2025. Staff anticipates providing responses to the 2024 NC Building and Existing Building Code RRC staff attorney comments this week and hopes to receive the RRC staff attorney comments to the 2024 NC Fire Code soon so

as to respond to those so these three Codes can be approved at the June 26th RRC meeting.

Item A – 7 Public Comments

There were no comments.

Part B – New Petition for Rulemaking

The following Petitions for Rulemaking have been received since the last Council meeting. The Council will vote either to deny or grant these Petitions. The Council will give no further consideration to Petitions that are denied. Petitions that are granted may proceed through the Rulemaking process. The council may send any Petition to the appropriate committee. The public hearing will take place after the June 11, 2024 meeting, at the next available public hearing. All B items can be viewed and downloaded from:

<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

There will be no B items received from the floor.

Item B – 1 Request from David Rittinger representing the NC Office of State Fire Marshal to amend Chapter 36 of the 2018 NC Building Code to reflect the requirements of North Carolina General Assembly Session Law 2023-137, Section 35 “Restore 2009 Building Code Standards for Piers and Docks Constructed in Estuarine Waters”.

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

David Rittlinger with NCOSFM staff spoke in support of this item.

The Building Standing committee reviewed this item and provided a favorable recommendation for approval.

Commercial Super Committee: Motion to accept this item made by D. Gieser. Second made by M. Matheny. Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion to accept this item made by R. Zapple. Second made by J. Hilton. Motion unanimously granted to continue to rule-making proceedings.

Item B – 2 Request from David Rittinger representing the NC Office of State Fire Marshal to amend Chapter 36 of the 2024 NC Building Code to reflect the requirements of North Carolina General Assembly Session Law 2023-137, Section 35 “Restore 2009 Building Code Standards for Piers and Docks Constructed in Estuarine Waters”.

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

David Rittlinger with NCOSFM staff spoke in support of this item.

The Building Standing committee reviewed this item and provided a favorable recommendation for approval.

Commercial Super Committee: Motion to accept this item made by D. Gieser. Second made by M. Matheny.

Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion to accept this item made by R. Zapple. Second made by A. Cole.

Motion unanimously granted to continue to rule-making proceedings.

Item B – 3 Request from Joseph Starling, PE representing the NC Office of State Fire Marshal to amend the 2023 NC Electrical Code, Article 100 – Definitions – Selective Coordination as follows:

Article 100 – Definitions

....

Coordination, Selective. (Selective Coordination) Localization of an overcurrent condition to restrict outages to the circuit or equipment affected, ~~accomplished~~ for fault current events that extend beyond 0.1 second, and accomplished by the selection and installation of overcurrent protective devices and their ratings or settings for the full range of available overcurrents, from overload to the available fault current, under such conditions, whether originating from overload, ground-fault or short circuit, and for the full range of overcurrent protective device opening times associated with those overcurrents. applicable to such events.

....

Joe Starling with NCOSFM staff addressed the Council in support of this item. This item was submitted in order to correct an error in omitting the definitions.

The Electrical Standing committee reviewed this item and provide a favorable recommendation for approval.

Commercial Super Committee: Motion to accept this item made by N. MacDonald. Second made by D. Gieser.

Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion to accept this item made by M. Ali. Second made by R. Zapple.

Motion unanimously granted to continue to rule-making proceedings.

Item B – 4 Request from Joseph Starling, PE representing the NC Office of State Fire Marshal to amend the 2023 NC Electrical Code, Section 551.71(F)(C), Receptacles Installed in Recreational Vehicle Site Equipment as follows:

Current Amendment of the 2023 North Carolina Electrical Code:

~~**Item 26: Requiring GFCI for 30- and 50-amp receptacles in RV site equipment the same at non-RV site equipment in (A) for RV parks; Retaining 2020 Code requirements.**~~

~~**AMENDMENT 551.71(F)(2)**~~

~~Amend NEC 2023, page 516:~~

~~**(2) Receptacles Installed in Recreational Vehicle Site Equipment.**~~

~~Ground-fault circuit-interrupter protection shall be provided as required in 210.8(B).~~

~~Informational Note No. 1: The definition of Feed Assembly clarifies that the power supply cord to a recreational vehicle is considered a feeder.~~

~~Repeal Amendment and Replace with Original Text of the 2023 NEC in the 2023 North Carolina Electrical Code:~~

~~**(2) Receptacles Installed in Recreational Vehicle Site Equipment.**~~

~~Ground-fault circuit-interrupter protection shall only be required for 125-volt, single-phase, 15- and 20-ampere receptacles.~~

~~Informational Note No. 1: Appliances used within- the recreational vehicle can create leakage current levels at the supply receptacle(s) that could exceed the limits of a Class A GFCI device.~~

Informational Note No. 2: The definition of Feed Assembly clarifies that the power supply cord to a recreational vehicle is considered a feeder.

Joe Starling with NCOSFM staff addressed the Council explaining that this item was submitted as a supplemental document to replace item C-2 in order to clarify the intent of that petition.

Rob Zapple and Jeff Hilton of the NCBCC asked technical questions and Joe Starling provided responses to those questions.

The Electrical Standing Committee reviewed this item and provided a favorable recommendation for approval.

Commercial Super Committee: Motion made to accept this item by D. Gieser. Second made by M. Matheny. Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion made to accept this item by M. Ali. Second made by N. MacDonald. Motion unanimously granted to continue to rule-making proceedings.

**Item B – 5 Request from Dan Dittman representing the NC Office of State Fire Marshal to amend the 2018 NC Energy Conservation Code, Sections R402.2.2.1, R402.2.2.2, Table R402.1.2, and R402.1.4 to reflect the requirements of North Carolina General Assembly Session Law 2023-108, Section 5 “Amend Insulation Requirements for Unvented Attic and Enclosed Rafter Assemblies” as follows:
R402.2.2 Ceilings without attic spaces.**

R402.2.2.1 Roof Ceiling Assemblies. Where Section R402.1.2 would require R-38 insulation and the design of the roof/ceiling assembly, including cathedral ceilings, bay windows and other similar areas, does not allow sufficient space for the required insulation, the minimum required insulation for such roof/ceiling assemblies shall be R-30. This reduction of insulation from the requirements of Section R402.1.2 shall be limited to 500 square feet (46 m²) of the total insulated ceiling area. This reduction shall not apply to the *U*-factor alternative approach in Section R402.1.4 and the total UA alternative in Section R402.1.5.

R402.2.2.2 Unvented attic and unvented enclosed rafter assembly alternate.

Where Table R402.1.2 requires R-38 insulation in the ceiling, or Table R402.1.4 requires a ceiling U-factor of 0.030, installing air-impermeable

insulation, as follows, to the underside or directly above the roof deck shall be deemed to satisfy the R-38 requirements: (i) R-20 (equivalent U-factor 0.05) for climate zone 3;(ii) R-25 (equivalent U-factor 0.037) for climate zone 4; and (iii) R-25 (equivalent U-factor 0.037) for climate zone 5. These air-impermeable insulation alternative R-value minimums apply in residences meeting the following criteria:

- (1) The unvented attic or unvented enclosed rafter assemblies are constructed under Section R806.5 of the North Carolina Residential Code.
- (2) The residence contains a mechanical ventilation system that operates on a positive, balanced, or hybrid pressure strategy in accordance with North Carolina Mechanical Code Section 403.3.
- (3) For residences with air-impermeable insulation installed below the roof deck, exposed portions of the roof rafters are wrapped by a minimum of R-3 insulation unless directly covered by drywall or finished ceiling material. For residences with air-impermeable insulation installed above the roof deck, roof rafters do not require insulation wrapping if air-impermeable insulation installed above the roof deck is continuous.
- (4) The residence obtains an ACH50 blower door test result of less than 3.0.
- (5) The residence contains heating, cooling, and ventilation equipment and ductwork within thermal envelope.

....

**TABLE R402.1.2
INSULATION AND FENESTRATION REQUIREMENTS BY COMPONENT^a**

CLIMATE ZONE	FENESTRATION U-FACTOR ^{b,i}	SKYLIGHT ^b U-FACTOR	GLAZED FENESTRATION S	CEILING R-VALUE ^{m,p}	WOOD FRAME WALL VALUE	MASS WALL VALUE ⁱ	FLOOR R-VALUE	BASEMENT ^{c,o} WALL R-VALUE	SLAB R-VAL DEPTH	CRAWL SP WALL R-VA
3	0.35	0.55	0.30	38 or 30ci ^l	15 or 13+2	5/13 or 5/1	19	5/13 ^f	0	5/13
4	0.35	0.55	0.30	38 or 30ci ^l	15 or 13+2	5/13 or 5/1	19	10/15	10	10/15
5	0.35	0.55	NR	38 or 30ci ^l	19 ⁿ or 13+15+3 ^h	13/17 or 13/12.5ci	30 ^g	10/15	10	10/19

....

p. Alternately, per North Carolina General Assembly Session Law 2023-108, Section 6 (effective 8/16/23), unvented attic and unvented enclosed rafter assemblies can utilize R402.2.2.2 where the assembly can comply with the criteria listed under R402.2.2.2.

....

**TABLE R402.1.4
EQUIVALENT U-FACTORS^a**

CLIMATE ZONE	FENESTRATION U-FACTOR ^d	SKYLIGHT U-FACTOR	CEILING U-FACTOR ^e	FRAME WALL U-FACTOR	MASS WALL U-FACTOR ^b	FLOOR U-FACTOR	BASEMENT WALL U-FACTOR	CRAWL SPACE WALL U-FACTOR
3	0.35	0.55	0.030	0.077	0.141	0.047	0.091 ^c	0.136
4	0.35	0.55	0.030	0.077	0.141	0.047	0.059	0.065
5	0.35	0.55	0.030	0.061	0.082	0.033	0.059	0.065

....

e. Alternately, per North Carolina General Assembly Session Law 2023-108, Section 6 (effective 8/16/23), unvented attic and unvented enclosed rafter assemblies can utilize R402.2.2.2 where the assembly can comply with the criteria listed under R402.2.2.2.

Dan Dittman with NCOSFM staff addressed the Council in support of this item.

The Residential Standing Committee and the Energy Standing Committee reviewed this item and provided a favorable recommendation for approval.

Commercial Super Committee: Motion to accept this item made by M. Matheny. Second made by N. MacDonald. Motion unanimously granted to continue to rule-making proceedings.

Residential Super Committee: Motion to accept this item made by J. Hilton. Second made by C. Berg. Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion to accept this item made by R. Zapple. Second made by R. Howard. Motion unanimously granted to continue to rule-making proceedings.

Item B – 6 Request from Dan Dittman representing the NC Office of State Fire Marshal to amend the 2024 NC Energy Conservation Code, Section R402 Building Thermal Envelope to reflect the requirements of North Carolina General Assembly Session Law 2023-108, Section 5 “Amend Insulation Requirements for Unvented Attic and Enclosed Rafter Assemblies” as follows:

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

Dan Dittman with NCOSFM staff addressed the Council in support of this item. Nathan Childs, NCBCC legal counsel, addressed the Council to note this item is also submitted to satisfy objections to Section R402 of the 2024 NC Energy Conservation Code made by the RRC at their 4/30/24 meeting.

The Residential Standing Committee and the Energy Standing Committee reviewed this item and provided a favorable recommendation for approval.

Commercial Super Committee: Motion to accept this item made by M. Matheny. Second made by N. MacDonald. Motion unanimously granted to continue to rule-making proceedings.

Residential Super Committee: Motion to accept this item made by J. Hilton. Second made by C. Berg. Motion unanimously granted to continue to rule-making proceedings.

Building Code Council: Motion to accept this item made by M. Ali. Second made by R. Zapple. Motion unanimously granted to continue to rule-making proceedings.

Item B – 7 Request from Amanda Jane Albert representing Inhabit Living Solutions, LLC to amend the 2024 NC Residential Code, Appendix AS Strawable Construction as follows:

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

This item was withdrawn by the proponent.

Item B – 8 Request from Wendy Purser representing the NC Chapter of PHTA to amend the 2024 NC Residential Code, R327.1, delete Appendix NC-A and adopt the 2021 International Swimming Pool and Spa Code as follows:

Due to size, this petition and the 2021 ISPSC can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-public-hearing-june-11-2024>

This item was withdrawn by the proponent.

Part C – Notice of Rulemaking Proceedings and Public Hearing

The following Petitions for Rulemaking have been granted by the Council. Notice of Rulemaking proceedings has been made. The Public Hearing will be held on June 11, 2024, and the Final Adoption meeting may take place after the public comment period ends. The written public comment period expires on July 15, 2024 for Items C-1, C-2 and C-3. The written public comment period expires on June 14, 2024 for Item C-4. All C items can be viewed and downloaded from:

<https://www.ncosfm.gov/news/events/building-code-council-meeting-new-petitions-and-final-adoption-only-b-and-d-items-march-19-2024>

Item C – 1 Request from Phillip Scott of BFPE International to amend the 2024 NC Fire Code, Section 510.1 Emergency responder communication coverage in new buildings, Exception #4 as follows (240319 Item B-1):

Exceptions:

....

4. ~~New buildings 7,500 square feet or less and not more than 1 story above grade plane.~~ One-story buildings not exceeding 12,000 square feet with no below-ground area(s).

Of note, Item C-1 requires a fiscal note to be approved by the NC Office of State Budget Management per the requirements of N.C.G.S 143-138(a1)(1). A fiscal note has not been provided by the proponent by the date of this printing of the agenda.

David Rittlinger with NCOSFM staff addressed the Council regarding this item explaining that this petition needs a fiscal note approved by OSBM, and it has not yet been provided by the proponent.

Item C – 2 Request from Adam Smith representing Carolina’s Association of RV Parks and Campgrounds to amend the 2023 NC Electrical Code, Section 210.8 Ground-Fault Circuit-Interrupter Protection for Personnel, (F) Outdoor Outlets as follows (240319 Item B-2):

(F) Outdoor Outlets. For dwellings, all outdoor outlets, other than those covered in 210.8(A), Exception No. 1, including outlets installed in the following locations, and supplied by single-phase branch circuits rated 150 volts or less to ground, 50 amperes or less, shall be provided with GFCI protection:

- (1)Garages that have floors located at or below grade level
- (2)Accessory buildings

- (3)Boathouses

If equipment supplied by an outlet covered under the requirements of this section is replaced, the outlet shall be supplied with GFCI protection.

Exception No. 1: GFCI protection shall not be required on lighting outlets other than those covered in 210.8(C).

Exception No. 2: GFCI protection shall not be required for listed HVAC equipment. This exception shall expire September 1, 2026.

Exception No. 3: GFCI protection for an RV park pedestal is covered in 551.71(F).

Adam Smith addressed the Council as the proponent of this item and noted the code change is necessary to prevent unnecessary power outages.

Toni Strickland, owner of a small campground in White Lake, NC addressed the Council. They have been in the process of upgrading their campground with new electrical pedestals. They did not pass the local inspections because they would not work. She asked the Council if there was anything they could do to help, then to please do so as this requirement is negatively impacting their business.

Item C – 3 Request from David Rittlinger representing staff to amend the 2024 edition of the North Carolina Administrative Code and Policies, Table 202.5 and Appendix C as follows (240319 Item B-4):

**Table 202.5.5
Typical Timeline Example for Adopted Rules**

Rule Petition Received:	February 1
Standing Committee First Review:	February – March <u>June</u>
Rule Petition Granted for Public Hearing: <u>Hearing (B-items):</u>	March BCC meeting
Notice of Hearing Published:	April NC Register
Hearing Held: <u>Held (C-items):</u>	June BCC public hearing
Standing Committee Final Review:	June–September <u>BCC Standing Committee meeting</u>
Final Rule Adoption: <u>Adoption (D-items):</u>	September <u>June</u> BCC meeting
Rules Review Meeting:	November <u>July or August</u> RRC meeting
Effective:	First day of the month following the month the adopted rule is approved by RRC or a delayed effective date approved by the BCC. ...

Typical Timeline Example for Adopted Rules	
Rule Petition Received:	February 1
Standing Committee First Review	February - March <u>June</u>
Rule Petition Granted for Public Hearing : <u>Hearing (C-items)</u> :	March BCC meeting
Notice of Hearing Published:	April NC Register
Hearing Held : <u>Held (C-items)</u> :	June BCC public hearing
Standing Committee Final Review	June – September <u>BCC Standing Committee meeting</u>
Final Rule Adoption : <u>Adoption (D-items)</u> :	September <u>June</u> BCC meeting
Rules Review Meeting:	November <u>July or August</u> RRC meeting
Effective:	First day of the month following the month the adopted rule is approved by RRC or a delayed effective date approved by the BCC.

David Rittlinger with NCOSFM staff addressed the Council regarding this item explaining the intent of this petition is to create better efficiency by reducing the code adoption process by up to three months, and still fall in line with the requirements of the Administrative Procedures Act.

David Rittlinger addressed questions from members of the NCBCCC concerning the procedural changes required to make this change to a long-established code adoption process.

Fred Kechuck, of the pool industry, addressed the Council to say he would like to see a ‘fast track’ code adoption process and more transparency, but is not in full support of the change. He is concerned that he and other stakeholders will not have enough time in finding out about a possible petition, fully understanding it, and providing input to it before it has moved along in the process.

Chair Herring encouraged people to give their input on this item since it is such a big process change. She reminded everyone that public comments would be accepted until July 15, 2024.

Item C – 4 Request from the NCBCCC Residential Standing Committee to amend the 2024 edition of the North Carolina Residential Code, Chapter 44 Reference Standards as follows (240319 Item B-5):

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-meeting-new-petitions-and-final-adoption-only-b-and-d-items-march-19-2024>

David Rittlinger with NCOSFM staff spoke to the Council regarding this item. This item aligns the referenced standards with the remainder of the 2024 NCRC that was previously adopted by the NCBCC and approved by RRC and aligns with the limitations included in North Carolina General Assembly Session Law 2023-108.

Part D – Final Adoption

The following Petitions for Rulemaking have been granted by the Council. Notice of Rulemaking proceedings and Public Hearing has been made. The Public Hearings were held on March 18, 2024 for all petitions. The Final Adoption meeting will take place on June 11, 2024. The Council will give no further consideration to Petitions that are disapproved. Petitions that are approved will proceed through the Rulemaking process. The effective date is January 1, 2025, *unless* otherwise noted.

Item D – 1 Request from the BCC Building Code Standing Committee to adopt the 2024 edition of the North Carolina Building Code as presented by the committee. (231219 Item B-3)

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-5; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 31 of the meeting minutes.

Item D – 2 Request from David Rittlinger representing staff to amend the 2024 NC Building Code, Section 101.2 Scope by adding Exceptions #7 and #8 as follows (231219 Item B-4):

[A] 101.2 Scope. The provisions of this code shall apply to the construction, *alteration*, relocation, enlargement, replacement, *repair*, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures. Exception: If any of the following apply, then the building or structure is exempt from the provisions of this code:

Exception: If any of the following apply, then the building or structure is exempt from the provisions of this code:

....

7. Farm structures exempt by N.C.G.S 143-138(b4).

8. Buildings used for temporary motion picture, television, and theater stage sets and scenery are exempt from use and occupancy

classification under the North Carolina State Building Code by N.C.G.S 143-138(b20).

....

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-6; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on pages 31 & 32 of the meeting minutes.

Item D – 3 Request from Kate Whalen representing staff to amend the 2024 NC Building Code, Sections 202, 307, and 414 as follows (231212 Item B-3):

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-meeting-december-12-2023>

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-7; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 32 of the meeting minutes.

Item D – 4 Request from Cliff Isaac representing the NC Home Builders Association to amend the 2024 NC Building Code, Section 1109.2 by adding #8 as follows (231212 Item B-6):

8. This section is not applicable to dwellings built under the NC Residential Code that serve as model homes if one temporary ADA accessible portable toilet is provided during the time in which the garage serves as a sales office. A sign shall be provided to direct staff and the public to the ADA portable toilet. Water shall be permitted to be supplied to the entire dwelling while operating as a model home, and when fully converted to a residential dwelling when meeting the NC Residential Code for 1- and 2 family dwellings.

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-8; adopted by the Commercial Super Committee in a 5-3 vote; adopted by the Building Code Council in an 11-4 vote; noted on page 32 of the meeting minutes.

Item D – 5 Request from the BCC Fire Prevention Code Standing Committee to adopt the 2024 edition of the North Carolina Fire Prevention Code as presented by the committee. (231219 Item B-5)

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-9; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 33 of the meeting minutes.

Item D – 6 Request from David Rittlinger representing staff to amend the 2024 NC Fire Code, Section 102.13 Exception to applicability as follows by adding #7 (231219 Item B-6):

102.13 Exception to applicability. The provisions of this code shall not apply to the following:

....

7. Farm structures exempt by N.C.G.S 143-138(b4).

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-10; adopted by the Commercial Super Committee in a 7-1 vote; adopted by the Building Code Council in a 14-1 vote; noted on page 33 of the meeting minutes.

Item D – 7 Request from Marielena Salazar & Kyle Baker representing Shell Retail & Convenience Operations (dba Shell TapUp) to amend the 2024 NC Fire Code, Section 5706.5.4.5 as follows (231219 Item B-7):

5706.5.4.5 Commercial, industrial, governmental or manufacturing establishments. Dispensing of Class I, II and III motor vehicle fuel from tank vehicles into the fuel tanks of motor vehicles located at commercial, industrial, governmental or manufacturing establishments is allowed where approved~~permitted~~ provided that such dispensing operations are conducted in accordance with the following:

....

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-11; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on pages 33 & 34 of the meeting minutes.

Item D – 8 Request from Jason Shepherd to amend the 2024 NC Building Code, Section 907.2.3.1 and the 2024 NC Fire Code, Section 907.2.3.1 as follows (231219 Item B-8):

2024 NC Building Code

907.2.3.1 Automatic smoke detection systems. An automatic smoke detection system that initiates the occupant notification in accordance with Section 907.5.2.2 shall be installed throughout all stories of Group E buildings.

Exceptions:

1. An automatic smoke detection system shall not be required in Group E occupancies with an *occupant load* of 50 or less.
2. An automatic smoke detection system shall not be required in Group E occupancies that are protected with *approved automatic sprinkler systems* installed in accordance with Section 903.3.1.1.
3. An automatic smoke detection system shall not be required in licensed day care facilities complying with Section 431.

2024 NC Fire Code

907.2.3.1 Automatic smoke detection systems. An automatic smoke detection system that initiates the occupant notification in accordance with Section 907.5.2.2 shall be installed throughout all stories of Group E buildings.

Exceptions:

1. An automatic smoke detection system shall not be required in Group E occupancies with an *occupant load* of 50 or less.
2. An automatic smoke detection system shall not be required in Group E occupancies that are protected with *approved automatic sprinkler systems* installed in accordance with Section 903.3.1.1.
3. An automatic smoke detection system shall not be required in licensed day care facilities complying with Section 431 of the *International Building Code*.

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-12; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council (J. Shepherd recused); noted on page 34 & 35 of the meeting minutes.

Item D - 9 Request from the Fire Code Revision Committee to amend the 2024 NC Building Code and 2024 NC Fire Code, Sections 1010.2.14, 1010.2.14.4 and 1010.2.1 as follows (231219 Item B-9):

2024 NC Building Code

1010.2.14 Controlled egress doors in Groups I-1, I-2, and R-4, and E.

....

1010.2.14.4 Group E Classrooms. Electric locking systems, including electro-mechanical locking systems and electromagnetic locking systems, shall be permitted to be installed on exit or exit access doors leading from Group E classrooms and day care classrooms within a Group E occupancy where identified and documented by the local school administration as having one or more students that require restraint to preserve the safety of the student or students and meeting all of the following:

1. The building is equipped with a *fire alarm system* in accordance with Section 907.2.3 (Section 907.2.3, Exception 1 is not applicable).
2. The door locks shall unlock on actuation of the *fire alarm system* and remain unlocked until the *fire alarm system* has been reset.
3. The door locks shall unlock on loss of power controlling the lock or lock mechanism.
4. A building occupant shall not be required to pass through more than one door equipped with a controlled egress locking system before entering an exit.
5. The procedures for unlocking the doors shall be described and approved as part of the emergency planning and preparedness required by Chapter 4 of the *International Fire Code*.
6. Staff within the rooms equipped with controlled egress shall have the keys, codes or other means necessary to operate the locking systems.
7. When operated, the locking system shall remain unlocked for not less than 30 seconds.
8. Emergency lighting shall be provided at the door.
9. The door locking system units shall be listed in accordance with UL 294.

....

1010.2.1 Unlatching. The unlatching of any door or leaf for egress shall require not more than one motion in a single linear or rotational direction to release all latching and all locking devices.

Exceptions:

1. Places of detention or restraint.
2. Where manually operated bolt locks are permitted by Section 1010.2.5.

3. Doors with automatic flush bolts as permitted by Section 1010.2.4, Item 4.
4. Doors from individual *dwelling units* and *sleeping units* of Group R occupancies as permitted by Section 1010.2.4, Item 5.
5. ~~Group E classrooms identified by the local school administration as having one or more students that require restraint to preserve the safety of the student or students shall be permitted to have latching devices that require a maximum of two motions to unlatch the door from the egress side.~~

2024 NC Fire Code

[BE] 1010.2.14 Controlled egress doors in Groups I-1, I-2, and R-4, and E.

....

1010.2.14.4 Group E Classrooms. Electric locking systems, including electro-mechanical locking systems and electromagnetic locking systems, shall be permitted to be installed on exit or exit access doors leading from Group E classrooms and day care classrooms within a Group E occupancy where identified and documented by the local school administration as having one or more students that require restraint to preserve the safety of the student or students and meeting all of the following:

1. The building is equipped with a *fire alarm system* in accordance with Section 907.2.3 (Section 907.2.3, Exception 1 is not applicable).
2. The door locks shall unlock on actuation of the *fire alarm system* and remain unlocked until the *fire alarm system* has been reset.
3. The door locks shall unlock on loss of power controlling the lock or lock mechanism.
4. A building occupant shall not be required to pass through more than one door equipped with a controlled egress locking system before entering an exit.
5. The procedures for unlocking the doors shall be described and approved as part of the emergency planning and preparedness required by Chapter 4 of the *International Fire Code*.
6. Staff within the rooms equipped with controlled egress shall have the keys, codes or other means necessary to operate the locking systems.
7. When operated, the locking system shall remain unlocked for not less than 30 seconds.
8. Emergency lighting shall be provided at the door.
9. The door locking system units shall be listed in accordance with UL 294.

....

[BE] 1010.2.1 Unlatching. The unlatching of any door or leaf for egress shall require not more than one motion in a single linear or rotational direction to release all latching and all locking devices.

Exceptions:

1. Places of detention or restraint.
2. Where manually operated bolt locks are permitted by Section 1010.2.5.
3. Doors with automatic flush bolts as permitted by Section 1010.2.4, Item 4.
4. Doors from individual dwelling units and sleeping units of Group R occupancies as permitted by Section 1010.2.4, Item 5.
5. ~~Group E classrooms identified by the local school administration as having one or more students that require restraint to preserve the safety of the student or students shall be permitted to have latching devices that require a maximum of two motions to unlatch the door from the egress side.~~

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-13; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on pages 35 - 37 of the meeting minutes.

Item D – 10 Request from Jason Shepherd representing the Durham County Fire Marshal to amend the 2024 NC Fire Code, Section 105.5.32 as follows (231219 Item B-10):

105.5.32 Mobile food preparation vehicles. (optional permit). An operational permit is required for *mobile food preparation vehicles* equipped with appliances that produce smoke or grease-laden vapors. Permits shall originate from the commissary address where the mobile food preparation vehicle is associated.

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-14; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council (J. Shepherd recused); noted on pages 37 – 38 of the meeting minutes.

Item D – 11 Request from Jason Shepherd representing the Durham County Fire Marshal to amend the 2024 NC Fire Code, Sections 319.11.1 and 319.11.13 as follows (231219 Item B-11):

319.11.1 Stability. *Mobile food preparation vehicles* shall be stabilized against movement when parked for food prep operations in accordance with Section 319.11.1.1 through ~~319.11.1.2~~319.11.1.3.

319.11.1.3 Mobile cooking operations. *Mobile food preparation vehicles shall be separated from buildings, structures, canopies, tents, combustible materials, vehicles, and other cooking operations by a minimum of 10 feet (3048mm). Exhaust shall be directed away from openings, air intakes and away from any means of egress.*

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-15; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council (J. Shepherd recused); noted on page 38 of the meeting minutes.

Item D – 12 Request from Kate Whalen representing staff to amend the 2024 NC Fire Code, Sections 202, 203, 608, 911, 3307, 5003 and Reference Standards as follows (231212 Item B-4):

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-meeting-december-12-2023>

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-16; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on pages 38 & 39 of the meeting minutes.

Item D – 13 Request from Colin Triming representing the NC Fire Code Revision Committee to amend the 2024 NC Fire Code, Chapter 80, NFPA 241 edition as follows (231212 Item B-11):

241-1922

Standard for Safeguarding Construction, Alteration and Demolition Operations

3301.1, 3303.2

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-17; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 39 of the meeting minutes.

Item D – 14 Request from the NC Building Code Council Energy Standing Committee to adopt the 2024 edition of the North Carolina Energy Conservation Code as presented by the committee. (231219 Item B-21)

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted a separate petition for this item at the December 12, 2023 meeting: Item D-4; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Residential Super Committee; unanimously adopted by the Building Code Council; noted on page 20 of the meeting minutes.

Item D – 15 Request from AIA North Carolina to amend the 2024 NC Energy Conservation Code, Section C502.2 as follows (231212 Item B-7):

C502.2 Change in space conditioning. Any nonconditioned or low-energy space that is altered to become *conditioned space* shall be required to comply with Section C502.

Exceptions:

1. Where the component performance alternative in Section C402.1.5 is used to comply with this section, the proposed UA shall be not greater than 110120 percent of the target UA.
2. Where the total building performance option in Section C407 is used to comply with this section, the annual energy cost of the proposed design shall be not greater than 110120 percent of the annual energy cost otherwise permitted by Section C407.2.

Of note, Item D-15 requires a fiscal note to be approved by the NC Office of State Budget Management per the requirements of N.C.G.S 143-138(a1)(1) and a cost benefit analysis per N.C.G.S 143-138(a1)(2). A fiscal note and cost benefit analysis has not been provided by the proponent by the date of this printing of the agenda.

The Energy Standing Committee reviewed this item. A fiscal note has still not been received from the proponent. The committee recommends denying this item.

Commercial Super Committee: Motion to deny this item made by C. Berg. Second made by M. Matheny.

Motion passed with one nay from K. Wooten.

No further action is needed for this item.

Item D – 16 Request from AIA North Carolina to amend the 2024 NC Energy Conservation Code, Section 505.1 as follows (231212 Item B-8):

C505.1 General. Spaces undergoing a change in occupancy that would result in an increase in demand for either fossil fuel or electrical energy shall comply with this code. Where the use in a space changes from one use in Table C405.3.2 (1) or C405.3.2(2) to another use in Table C405.3.2 (1) or C405.3.2(2), the install lighting wattage shall comply with Section C405.3. With the space undergoing a change in occupancy or use is in a building with a fenestration area that exceeds the limitations of Section C402.4.1, the space is exempt from Section C402.4.1 provided that there is not an increase in fenestration area.

Exceptions:

1. Where the component performance alternative in Section C402.1.5 is used to comply with this section, the proposed UA shall not be greater than 110120 percent of the target UA.
2. Where the total building performance option in Section C407 is used to comply with this section, the annual energy cost of the proposed design shall not be greater than 110120 percent of the annual energy cost otherwise permitted by Section C407.2.

Of note, Item D-16 requires a fiscal note to be approved by the NC Office of State Budget Management per the requirements of N.C.G.S 143-138(a1)(1) and a cost benefit analysis per N.C.G.S 143-138(a1)(2). A fiscal note and cost benefit analysis has not been provided by the proponent by the date of this printing of the agenda.

The Energy Standing Committee reviewed this item. A fiscal note has still not been received by the proponent. The committee recommends denying this item.

Commercial Super Committee: Motion to deny this item made by M. Matheny.

Second made by N. MacDonald.

Motion passed with one nay from K. Wooten.

No further action is needed for this item.

Item D – 17 Request from the BCC Existing Building Code Standing Committee to adopt the 2024 edition of the North Carolina Existing Building Code as presented by the committee. (231219 Item B-12)

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-26; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Residential Super Committee; unanimously adopted by the Building Code Council; noted on page 43 of the meeting minutes.

Item D – 18 Request from David Rittlinger representing staff to amend the 2024 NC Existing Building Code, Section 101.2 Scope as follows by adding Exception #2 (231219 Item B-13):

[A] 101.2 Scope. The provisions of this code shall apply to the *repair, alteration, change of occupancy, addition* to and relocation of *existing buildings*.

Exception: Exceptions:

1. Detached one- and two-family dwellings and townhouses not more than three stories above grade plane in height with a separate means of egress, and their accessory structures not more than three stories above grade plane in height, shall comply with this code or the *International Residential Code*.
2. This code shall not apply to buildings constructed under exemption by North Carolina State law in compliance with North Carolina State Building Codes.

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-27; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Residential Super Committee; unanimously adopted by the Building Code Council; noted on pages 43 & 44 of the meeting minutes.

Item D – 19 Request from David Rittlinger of staff to amend the 2024 NC Existing Building Code, Section 803.2.1.2 as follows (231219 Item B-14):

803.2.1.2 Low-rise buildings. Work areas that increase the fire area or calculated occupant load above the limits listed in Section 903.2 of the *International Building Code* shall meet the requirements of those sections.

Exception: Where an automatic sprinklers system is not existing in a building or otherwise required by Section 803, North Carolina Building Code Section 903.2.8 shall not be applied for Group R-3.

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-28; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Residential Super Committee; unanimously adopted by the Building Code Council; noted on page 44 of the meeting minutes.

Item D – 20 Request from the NC Building Code Council Mechanical Standing Committee to adopt the 2024 edition of the North Carolina Fuel Gas Code as presented by the committee. (231219 Item B-19).

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted a separate petition for this item at the December 12, 2023 meeting: Item D-1; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 18 of the meeting minutes.

Item D – 21 Request from the NC Building Code Council Mechanical Standing Committee to adopt the 2024 edition of the North Carolina Mechanical Code as presented by the committee. (231219 Item B-18)

Due to size, this petition can be conveniently viewed at the link below:
<https://www.ncosfm.gov/news/events/building-code-council-special-meeting-december-19-2023>

This item has been withdrawn.

This Council adopted a separate petition for this item at the December 12, 2023 meeting: Item D-2; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on page 18 - 19 of the meeting minutes.

Item D – 22 Request from Kerry Sutton, P.E. representing the American Concrete Institute, Edward Deaver representing the ACI Carolinas Chapter, Caroline Sutton representing Carolinas Ready Mixed Concrete Association, Shamim Rashid-Sumar, P.E., F.S.F.P.E. representing National Ready Mixed Concrete Association, Griff Shapack, P.E. representing Simpson Strong-Tie, Jay Pease, P.E. representing Owens Corning/Infrastructure Solutions, Jerzy Zemajtis, P.E. representing NEX: An ACI Center of Excellence for Nonmetallic Building Materials, and Jay Thomas representing Structural Technologies to amend the 2024 NC Building Code, Section 1901 as follows (230912 Item B-3):

1901.2 Plain and reinforced concrete. Structural concrete shall be designed and constructed in accordance with the requirements of this chapter and ACI 318 as amended in Section 1905 of this code. Except for the provisions of Section 1904 and 1907, the design and construction of slabs on grade shall not be governed in this chapter unless they transmit vertical *loads* or lateral forces from other parts of the structure to the soil.

1901.2.1 Structural concrete with GFRP reinforcement. Cast-in-place structural concrete internally reinforced with glass fiber reinforced polymer (GFRP) reinforcement conforming to ASTM D7957 and designed in accordance with ACI CODE 440.11 shall be permitted where fire resistance ratings are not required and only for structures assigned to Seismic Categories A, B or C.

Exception: Concrete internally reinforced with GFRP bars shall not be permitted for concrete elements that are part of the seismic lateral force resisting system in structures assigned to Seismic Design Categories B or C.

Add new reference standard(s) to Chapter 35 as follows:

ACI

440.11-22 Building Code Requirements for Structural Concrete Reinforced with Glass Fiber-Reinforced Polymer (GFRP) Bars-Code and Commentary.....1901.2.1

ASTM

D7957-17 Standard Specification for Solid Round Glass Fiber Reinforced Polymer Bars for Concrete Reinforcement.....1901.2.1

This item has been withdrawn.

This Council adopted this item at the March 19, 2024 meeting: Item D-36; unanimously adopted by the Commercial Super Committee; unanimously adopted by the Building Code Council; noted on pages 48 & 49 of the meeting minutes.

Part E – Reports

❖ Ad-Hoc Committee Reports

Mark Matheny reported that the new ad-hoc committee that will be working on the wording to allow 3- and 4- family dwellings in the Residential Code as required by House Bill 488 has not been fully developed yet. There is a bill (S166) in process that may become law and will do the same. So, they are waiting to see what happens with that bill before pulling industry experts onto an ad-hoc committee and duplicating work. There is not timeline for this wording to be completed and there are alternative methods available for builders to use that already allow the 3- and 4- family dwellings to be built.

If that bill does not become law, they will work on the wording in September and December to create the wording needed for the Residential Code as required by the Session Law.

❖ **Standing Committee Reports**

There were no reports.

❖ **Staff Reports**

David Rittlinger of NCOSFM staff reported that staff has been working with Rules Review Commission on various levels of comments. With publication of the codes, we have received first drafts of some of the 2024 Codes and are proofreading and checking those. The publisher of the 2018 NC Building Codes has included the North Carolina amendments that have been approved through March of 2023 and we are in various levels of final approval of those and of everything that makes up those codes. They will, hopefully, be posted online for free for the public in the next month. As a result of Session Law 2023-108, staff is working on some procedures as it relates to the new Residential Code Council. Staff has been looking over formal and informal interpretations for the last couple of years that our code consultants provide, and it was noted there has been a major uptick in the amount of questions they receive. When tallying the data from calendar year 2023, staff had received over 29,000 interpretations that were performed by our office and staff. That is an average of approximately eight (8) per day per staff member. Some of the interpretations are quick and simple, but some of them take two (2) days. We are on a pace to go even higher this year. The uptick in numbers is a result of increased public awareness that we are here as a resource to help guide or provide you information as it relates to the codes and assist the build environment. Staff spends roughly 85% of their time responding to questions from the public. This is something we take pride in, it's a great resource, and we get a lot of good feedback on this.

❖ **Chairman's Report**

The Chair reminded everyone of the upcoming special meeting on June 17, 2024 to approve Chapter 44 of the Reference Standards of the 2024 NC Residential Code that has to happen before the six year legislation prevents the Council from making any changes to that.

The effective date of the 2024 NC Building Codes is 1/1/25 however, an undetermined overlap period to continue using the 2018 NC Building Codes extending into 2025 is going to be discussed at the 9/10/24 NCBCC meeting given the now apparent 6-month publication delay as a result of 2023/2024 NC Legislative actions during the NCBCC adoption process and extensive Rules Review Commission of the NC Office of Administrative

Hearings review and approval process. The undetermined overlap period would allow for two options for an undetermined period in 2025: Use the 2018 NC Building Codes in their entirety for project permits or use the 2024 NC Building Codes in their entirety for project permits.

David Rittlinger of OSFM staff responded that staff will assist the NCBCC in consideration of the proposed overlap period and in notification to the public once decisions are made in this regard.

❖ **Part F – Appeals**

BBUDC, Inc vs. Durham City/County Inspections Department is scheduled for 9:00 AM on Wednesday, July 31, 2024, Room 245 of the Albemarle Building located at 325 North Salisbury Street, Raleigh NC, 27603.

Adjourned.